


APPROVED	O.G. FIG. 1, 2	
BY	CLASS	SUBCLASS
DRAFTSMAN	414	634

Shinobu TANAKA
SINGLE LEVER WITH BUTTON FOR
SELECTIVELY CONTROLLING EITHER TILTING
OR LIFT OF A FORKLIFT MECHANISM

1/4

FIG.1




APPROVED	O.G. FIG. 1, 2	
BY	CLASS	SUBCLASS
DRAFTSMAN	414	634

Shinobu TANAKA
SINGLE LEVER WITH BUTTON FOR
SELECTIVELY CONTROLLING EITHER TILTING OR
LIFT OF A FORKLIFT MECHANISM

2/4

FIG.2




APPROVED	O.G. FIG. 1, 2	
BY	CLASS	SUBCLASS
DRAFTSMAN	414	634

Shinobu TANAKA
SINGLE LEVER WITH BUTTON FOR
SELECTIVELY CONTROLLING EITHER TILT OR
LIFT OF A FORKLIFT MECHANISM


3/4

FIG.3



4/4


FIG.4



【書類名】 図面

【図1】


FIG. 1



【図2】


JC978 U.S. PTO
09/883279
06/19/01

FIG. 2



【図3】

FIG. 3



【図4】

FIG. 4

